

# A TECHNICAL BREAK

www.challenger-motorhomes.com

# **// OVERVIEW 2025**

### **COMPACT**



VANS
BREAK EDITION / SPORT EDITION



SLIM LOW PROFILES
BREAK EDITION / SPORT EDITION



### **TRADITIONALS**



LOW PROFILES
BREAK EDITION / ETAPE EDITION




OVERCABS
BREAK EDITION





CHALLENGER-MOTORHOMES.COM





















in SPORT finish.
















### **GENERAL INFORMATION**

- The towing equipment can, in certain cases, change the number of passengers on the car registration papers. Your dealer will be able to give you more information.
- Kerb weight: the kerb weight includes the weight of the driver (75 kg), 20 L of clean water, 90% fuel and 100% gas. The kerb weights indicated take into account only standard exworks equipment. A difference of +/- 5% in the kerb weight is accepted by EU regulations. The manufacturer reserves the right to change this kerb weight.
- You may be able to find certain heavy accessories like large blinds or generators in the marketplace. The weight of these accessories should be deducted from the payload and could possibly lead to a reduction in the actual passenger numbers. It is therefore important not to exceed the maximum loads on axles and the technically acceptable loaded weight when the vehicle is fully loaded.
- The clean water tank capacity approved for road use is 20 L, and must comply with the regulations governing the technically acceptable laden weight. It is up to the user to adapt the loads and the number of passengers to the vehicle's loaded weight. To do this, the clean water reservoir capacity can be adjusted by the user to avoid reducing the number of passengers.
- Some models photographed in this catalogue may be shown with equipment supplied as an option. The characteristics of photographed models may vary from one country to the next. Despite the care taken in producing this catalogue, this cannot be viewed as a contractual document. CHALLENGER RESERVES THE RIGHT TO MODIFY ITS MODELS WITHOUT PRIOR NOTICE. CHALLENGER CANNOT BE HELD LIABLE FOR ANY MODIFICATIONS MADE BY ITS SUPPLIERS NOR TYPOGRAPHICAL ERRORS WHEN PRINTING THESE DOCUMENTS. It is forbidden to reproduce any text or documents, even in part. Do not litter the public highway.
- Your retailer is at your disposal to advise you and provide you with any additional information. The vehicles have been type-approved in accordance with Directive 2007/46 and comply with current European regulations.
- · Where there are multilingual versions, the French text is the binding version.




















|  | V114S            |                  | V114             |                  | <b>V114 MAX</b>  |                  | V210                                |  |
|--|------------------|------------------|------------------|------------------|------------------|------------------|-------------------------------------|--|
|  | BREAK<br>EDITION | SPORT<br>EDITION | BREAK<br>EDITION | SPORT<br>EDITION | BREAK<br>EDITION | SPORT<br>EDITION | SPORT<br>EDITION                    |  |
| BASE VEHICLE   | FI               | AT               | Fi               | AT               | Fi               | AT               | FIAT                                |  |
| Engine power HP-kW   | 140              | - 103            | 140              | - 103            | 140              | - 103            | 140 - 103                           |  |
| Transmission   | Mar              | nual             | Mar              | nual             | Mai              | nual             | Manual                              |  |
| EXTERIOR DIMENSIONS  |                  |                  |                  |                  |                  |                  |                                     |  |
| Overall length (m)   | 5.               | 41               | 5.               | 99               | 5.               | 99               | 6.36                                |  |
| Overall width (m)  | 2.               | 05               | 2.               | 05               | 2.               | 05               | 2.05                                |  |
| Overall height (m)   | 2,               | 65               | 2,               | 65               | 2,               | 65               | 2,65                                |  |
| Interior height (m)  | 1,               | 39               | 1,               | 89               | 1,               | 89               | 1,89                                |  |
| Wheelbase (m)  | 3,               | 45               | 4.               | 03               | 4.               | 03               | 4.03                                |  |
| 15" steel wheels with trims                                | $\checkmark$     | X                | $\checkmark$     | X                | $\checkmark$     | X                | X                                   |  |
| 16" alloy wheels   | X                | $\checkmark$     | X                | $\checkmark$     | X                | <b>✓</b>         | ✓                                   |  |
| CAPACITY (Standard base vehicle)                           |                  |                  |                  |                  |                  |                  |                                     |  |
| Seats authorised for road use (1)                          |                  | 4                |                  | 4                |                  | 4                | 4                                   |  |
| Isofix mounts  | >                | <                | X                | 0                | X                | 0                | 0                                   |  |
| Sleeping berths  | 2 +              | 1*               | 2 +              | 1*               | 4 +              | · 1*             | 2 + 1*                              |  |
| Dining seats   | Į.               | 4                |                  | 4                |                  | 4                | 4                                   |  |
| WEIGHT (KG)  |                  |                  |                  |                  |                  |                  |                                     |  |
| Max technically permissible laden mass                     | 35               | 00               | 35               | 00               | 35               | 00               | 3500                                |  |
| Kerb weight (+/- 5%)                                       | 2882             | 2997             | 2913             | 3008             | 2934             | 3050             | 3050                                |  |
| Towable weight   | 25               | 00               | 25               | 00               | 25               | 00               | 2500                                |  |
| AUTONOMY   |                  |                  |                  |                  |                  |                  |                                     |  |
| Fresh water capacity (L)                                   | 9                | 0                | 8                | :5               | 9                | 0                | 85                                  |  |
| Waste water capacity (L)                                   | 7                | 5                | 9                | 0                | 9                | 0                | 90                                  |  |
| Fuel tank capacity (L)                                     | 9                | 0                | 9                | 0                | 9                | 0                | 90                                  |  |
| Gas cylinder capacity (kg)                                 | 7 (              | x2)              | 7 (              | x2)              |                  | 5                | 7 (x2)                              |  |
| Pre-equipment for battery (battery supplied by the dealer) | V                | /                | <b>\</b>         | /                | V                |                  | ✓                                   |  |
| HEATING / AIR CONDITIONING                                 |                  |                  |                  |                  |                  |                  |                                     |  |
| Gas combined heating/water heater                          | 4000 W           | X                | 4000 W           | X                | 4000 W           | X                | X                                   |  |
| Vehicle fuel heating with supply air circuit               | X                | 4000 W           | X                | 4000 W           | X                | 4000 W           | 4000 W                              |  |
| 10 L water heater (gas) with electronic ignition           | X                | $\checkmark$     | X                | $\checkmark$     | X                | <b>✓</b>         | ✓                                   |  |
| SLEEPING SPACE (CM)  |                  |                  |                  |                  |                  |                  |                                     |  |
| Rear double bed  | 132/11           | 6 x 186          | 149              | x 186            | 144              | x 186            | X                                   |  |
| Electric fold-down bed, sleeps 2 (max. 250 kg)             | >                | <                | >                | <                | )                | <                | 160 x 185/175 (2) ; 190 x 185/75 (3 |  |
| Lower berth  | )                | <                | )                | <                | )                | <                | X                                   |  |
| Upper berth  | >                | <                | >                | <                | 133 :            | x 184            | X                                   |  |
| Twin beds  | >                | <                | >                | <                | )                | <                | X                                   |  |
| Dining nook convertible into sleeping space                | >                | <                | >                | <                | )                | <                | X                                   |  |
| Dining nook convertible into extra spare sleeping space    | 93/50 ×          | (146 (4)         | 93/50            | x 160 (4)        | 93/50            | x 160 (4)        | 95/50 x 156 (4)                     |  |
| Pop-up roof (125 kg)                                       | (                |                  |                  | )                |                  | )                | 0                                   |  |
| KITCHEN  |                  |                  |                  |                  |                  |                  |                                     |  |
| Compressor refrigerator (12V/230V)                         | 70               | )L               | 70L              | 84L              | 70L              | 84L              | 84L                                 |  |
| Cooking rings  |                  | 2                |                  | 2                |                  | 2                | 2                                   |  |

<sup>\*</sup>Dining nook convertible into extra spare sleeping space (1) Subject to homologation. (2) In raised position (3) In lowered position (4) Top of bed: 93 or 95 cm - Bottom of bed: 50 cm







| V217             |                  | SPECIAL EDITION |
|------------------|------------------|-----------------|
| BREAK<br>EDITION | SPORT<br>EDITION | F&S<br>EDITION  |
| Fi               | IAT              | FIAT            |
| 140              | - 103            | 140 - 103       |
| Mai              | nual             | Manual          |
|                  |                  |                 |
| 6.               | 36               | 5.99            |
| 2.               | 05               | 2.05            |
| 2,               | 65               | 2,65            |
| 1,               | 89               | 1,89            |
| 4.               | 03               | 4.03            |
| $\checkmark$     | X                | X               |
| X                | $\checkmark$     | $\checkmark$    |
|                  |                  |                 |
|                  | 4                | 5               |
| X                | 0                | $\checkmark$    |
|                  | + 1*             | 5               |
|                  | 4                | 5               |
|                  |                  |                 |
|                  | 500              | 3500            |
| 3025             | 3140             | 3050            |
| 25               | 600              | 2500            |
|                  | ) F              | OF.             |
|                  | 90               | 85<br>90        |
|                  | 90               | 60              |
|                  | (X2)             | 5               |
|                  | ^2)<br><b>/</b>  | √ ·             |
| V                | <b>,</b>         | •               |
| 4000 W           | X                | X               |
| X                | 4000 W           | 4000 W          |
| X                | ✓                | ✓               |
|                  |                  |                 |
| >                | X                | X               |
|                  | X                | X               |
| ,                | X                | 79.5 x 185      |
| 7                | X                | 68 x 183        |
| 80 x 195         | + 80 x 186       | X               |
| )                | ×                | 88 x 190        |
| 95/50            | x 156 (4)        | X               |
| (                | )                | 130 x 200       |
|                  |                  |                 |
| 70 L             | 84 L             | 84 L            |
|                  | 2                | 2               |
|                  |                  |                 |

# V114S




## **V114 FIAT**




# V114 MAX FIRT



# **V210**



Only available in SPORT finish.



# F&S FIRT



5,99 m



All the technical data are available at www.challenger-motorhomes.com



Videos of our vehicles



Virtual viewing 360°



Download your catalogue



Technical info



Vehicle comparison tool



according to your profile



# SLIM LOW PROFILES

A DISCOVERY BREAK

NEW S215

| gine power HP-NV 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 130 130 130 130 130 130 130 130 13  |  | <b>S1</b>        | 94               | S215             |                  |  |
|--|--|------------------|------------------|------------------|------------------|--|
| rigine power HP-NW 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 - 96 165 - 121 130 130 130 130 130 130 130 130 130 13  |  | BREAK<br>EDITION | SPORT<br>EDITION | BREAK<br>EDITION | SPORT<br>EDITION |  |
| ### Automatic   Manual   Automatic   Manual   Automatic   Automatic   Automatic   CTERIOR DIMENSIONS   S99   6.59    ### Automatic   S99   6.59   S99   6.59    ### Automatic   S99   6.59    ### Automatic   S99   6.59   S99    | BASE VEHICLE   | (Fi              | wid              | (9)              | ord              |  |
| CERNOR DIMENSIONS  | Engine power HP-kW   | 130 - 96         | 165 - 121        | 130 - 96         | 165 - 121        |  |
| Second   S   | Transmission   | Manual           | Automatic        | Manual           | Automatic        |  |
| Parall width (m)   | EXTERIOR DIMENSIONS  |                  |                  |                  |                  |  |
| Parall height (m)  | Overall length (m)   | 5.9              | 99               | 6,               | 59               |  |
| terior height (m) 1,96 1,96 1,96 1,96 1,96 1,96 1,96 1,96  | Overall width (m)  | 2.7              | 10               | 2                | 10               |  |
| ### Paragrage door (cm)  | Overall height (m)   | 2                | 75               | 2.               | 75               |  |
| ## garage door (cm)  | nterior height (m)   | 1,9              | 96               | 1,               | 96               |  |
| ## garage door (cm)  | Vheelbase (m)  | 3,3              | 30               | 3,               | 75               |  |
| ** steel wheels with trims   | Right garage door (cm)                                     | 895 >            | ¢ 590            | 930              | x 765            |  |
| APACITY (Standard base vehicle)   24   | eft garage door (cm)                                       | 795 >            | ¢ 405            | 795              | x 405            |  |
| ### PAPACITY (Standard base vehicle)  ast authorised for road use (1)  4 4  4 4  ### Papacity (Standard base vehicle)  ast authorised for road use (1)  4 4  ### Papacity (Standard base vehicle)  #### Papacity (Standard base vehicle)  ### Papacity (Standard base vehicle)  #### Papacity (Standard base vehicle)  ##### Papacity (Sta | 6" steel wheels with trims                                 | $\checkmark$     | X                | $\checkmark$     | X                |  |
| ### A  | 6" alloy wheels  | X                | ✓                | X                | $\checkmark$     |  |
| deeping berths         2/3*         2/3*           RIGHT (KG)         4         4           BEIGHT (KG)         Serb weight (*/~5%)         3500         3500           ax technically permissible laden mass         3500         3500           ber weight (*/~5%)         2563         2665         2643         2747           Wable weight         2000         2000           UTONOMY           west water capacity (t)         105         105           aste water capacity (t)         70         70           aste water capacity (kg)         13         13           e-equipment for battery (battery supplied by the dealer)         V         V           EATING / AIR CONDITIONING           CEATING / AIR CONDITIONING         4000 W         4000 W           Usater heater (gas) with electronic ignition         V         V           Usater heater (gas) with electronic ignition         V         V           Wed rear bed         132 x 189         143/82 x 188           with beds         X           with leads of the properties of the   | CAPACITY (Standard base vehicle)                           |                  |                  |                  |                  |  |
| ### REIGHT (KG)  ### REIGHT (KG)  ### A  | Seats authorised for road use (1)                          | L                | 4                |                  | 4                |  |
| ### Companies of the permissible laden mass and sold sold sold sold sold sold sold sol   | leeping berths   | 2/               | 3*               | 2/3*             |                  |  |
| ax technically permissible laden mass  3500  3500  260 2643  2747  2747  2740  | ining seats  | L                | 4                | 4                |                  |  |
| ## Probable weight (+/- 5%)  ## Probable wei  | VEIGHT (KG)  |                  |                  |                  |                  |  |
| wable weight 2000 2000  DTONOMY  esh water capacity (L) 105 105 aste water capacity (L) 100 100  Del tank capacity (L) 70 70  as cylinder capacity (kg) 13 13  re-equipment for battery (battery supplied by the dealer) ✓ ✓  EATING / AIR CONDITIONING  Shicle fuel heating with supply air circuit 4000 W 4000 W  DL water heater (gas) with electronic ignition ✓ ✓  Te-equipped for living area air conditioning ✓ ✓  Te-equipped for living area air conditioning ✓  Te-equipped for living area air conditioning ✓  Telegiphos SPACE (CM)  Exercise of the strength of t | Max technically permissible laden mass                     | 35               | 00               | 35               | 500              |  |
| TOTONOMY  esh water capacity (L)  aste water capacity (L)  aste water capacity (L)  100  100  100  100  100  100  100  1   | erb weight (+/- 5%)  | 2563             | 2665             | 2643             | 2747             |  |
| resh water capacity (L)  aste water capacity (L)  aste water capacity (L)  aste water capacity (L)  aste water capacity (L)  70  70  70  aste cylinder capacity (kg)  13  13  re-equipment for battery (battery supplied by the dealer)  Feating / AIR CONDITIONING  Schicle fuel heating with supply air circuit  4000 W  400 | owable weight  | 20               | 00               | 20               | 000              |  |
| aste water capacity (L) 100 100 100 as cylinder capacity (kg) 70 70 70 as cylinder capacity (kg) 13 13 13 as re-equipment for battery (battery supplied by the dealer)   | NUTONOMY   |                  |                  |                  |                  |  |
| THE LEEPING SPACE (CM)  To as cylinder capacity (kg) 13 13 13 13 13 13 13 13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15   | resh water capacity (L)                                    | 10               | 05               | 1                | 05               |  |
| as cylinder capacity (kg)  13  13  13  re-equipment for battery (battery supplied by the dealer)  FEATING / AIR CONDITIONING  Schicle fuel heating with supply air circuit  4000 W  40 | Vaste water capacity (L)                                   | 10               | 00               | 100              |                  |  |
| Te-equipment for battery (battery supplied by the dealer)  FEATING / AIR CONDITIONING  Sehicle fuel heating with supply air circuit  4000 W  4 | uel tank capacity (L)                                      | 7                | 0                | 70               |                  |  |
| EATING / AIR CONDITIONING  Chicle fuel heating with supply air circuit  4000 W  4000 W  4000 W  Levater heater (gas) with electronic ignition  Feequipped for living area air conditioning  Feeduipped fo | Gas cylinder capacity (kg)                                 | 1                | 3                | 13               |                  |  |
| thicle fuel heating with supply air circuit  4000 W  4000 W  Leter heater (gas) with electronic ignition  **Ceequipped for living area air conditioning  **Ceequipped for living area air conditioning  **Exemples SPACE (CM)  **Exem | Pre-equipment for battery (battery supplied by the dealer) | <b>V</b>         |                  | <b>✓</b>         |                  |  |
| L water heater (gas) with electronic ignition  re-equipped for living area air conditioning  velocity (CM)  Exercise (CM)  Exe | IEATING / AIR CONDITIONING                                 |                  |                  |                  |                  |  |
| re-equipped for living area air conditioning  LEEPING SPACE (CM)  xed rear bed  132 x 189  143/82 x 188  xin beds xin sleeping space extension xin sook convertible into extra spare sleeping space 90 x 185  17CHEN   | /ehicle fuel heating with supply air circuit               | 400              | 0 W              | 4000 W           |                  |  |
| EEPING SPACE (CM)  xed rear bed  132 x 189  143/82 x 188  xin beds x 189 xin beds xin beds xin beds xin beds x 189 xin beds xin beds xin beds x 189 xin beds xin beds xin beds x 189 xin beds xin beds x 189 xin beds xin beds x 189 | 10 L water heater (gas) with electronic ignition           | ✓                |                  | $\checkmark$     |                  |  |
| xed rear bed 132 x 189 143/82 x 188  vin beds X X  ifth sleeping space extension X X  ining nook convertible into extra spare sleeping space 90 x 185 90 x 185   | Pre-equipped for living area air conditioning              | V                |                  | \                |                  |  |
| vin beds X X X X X X X X X X X X X X X X X X X   | SLEEPING SPACE (CM)  |                  |                  |                  |                  |  |
| ining nook convertible into extra spare sleeping space 90 x 185 90 x 185   | ixed rear bed  | 132 >            | ( 189            | 143/8            | 2 x 188          |  |
| TCHEN  | win beds<br>With sleeping space extension                  | <i>&gt;</i>      |                  | ,                | ×                |  |
|  | Dining nook convertible into extra spare sleeping space    | 90 x             | : 185            | 90 3             | × 185            |  |
| ompressor refrigerator (12V/230V) 87L 87L  | KITCHEN  |                  |                  |                  |                  |  |
|  | Compressor refrigerator (12V/230V)                         | 87               | 7L               | 8                | 7L               |  |

\*Dining nook convertible into extra sleeping space (1) Subject to type approval

 $\checkmark$  AS STANDARD O OPTIONAL X NOT AVAILABLE



**S217** 

| BREAK<br>EDITION |                                  | SPORT<br>EDITION |
|------------------|----------------------------------|------------------|
|                  | Ford                             |                  |
| 130 - 96         |                                  | 165 - 121        |
| Manual           |                                  | Automatic        |
|                  |                                  |                  |
|                  | 6,59                             |                  |
|                  | 2.10                             |                  |
|                  | 2.75                             |                  |
|                  | 1,96                             |                  |
|                  | 3,75                             |                  |
|                  | 930 x 765                        |                  |
|                  | 795 x 405                        |                  |
|                  |                                  | ×                |
| X                |                                  | <b>✓</b>         |
|                  |                                  |                  |
|                  | 4                                |                  |
|                  | 2/3*                             |                  |
|                  | 4                                |                  |
|                  |                                  |                  |
|                  | 3500                             |                  |
| 2646             |                                  | 2759             |
|                  | 2000                             |                  |
|                  |                                  |                  |
|                  | 105                              |                  |
|                  | 100                              |                  |
|                  | 70                               |                  |
|                  | 13                               |                  |
|                  | <b>✓</b>                         |                  |
|                  |                                  |                  |
|                  | 4000 W                           |                  |
|                  | <b>✓</b>                         |                  |
|                  | $\checkmark$                     |                  |
|                  |                                  |                  |
|                  | X                                |                  |
|                  | 82 x 198 + 82 x 193<br>191 x 198 | 3                |
|                  | 90 x 185                         |                  |
|                  |                                  |                  |











All the technical data are available at www.challenger-motorhomes.com







87 L

Virtual viewing 360°



Download your catalogue



Technical info



Vehicle comparison tool






|  | X150                     | X250                    |
|--|--------------------------|-------------------------|
|  | OPEN<br>EDITION          | OPEN<br>EDITION         |
| BASE VEHICLE   | FIAT                     | FIRT                    |
| Engine power HP-kW   | 140 - 103                | 140 - 103               |
| Transmission   | Manual                   | Manual                  |
| EXTERIOR DIMENSIONS  |                          |                         |
| Overall length (m)   | 5,99                     | 6,36                    |
| Overall width (m)  | 2,10                     | 2,10                    |
| Overall height (m)   | 2,75                     | 2,75                    |
| Interior height (m)  | 1,98                     | 1,98                    |
| Wheelbase (m)  | 3,80                     | 4,03                    |
| Right garage door (cm)                                     | X                        | 1145 x 640              |
| Left garage door (cm)                                      | 1045 x 265 and 605 x 320 | 545 x 685 and 605 x 320 |
| 16" alloy wheels   | ✓                        | ✓                       |
| CAPACITY (Standard base vehicle)                           |                          |                         |
| Seats authorised for road use (1)                          | 4                        | 4                       |
| Isofix mounts  | ✓                        | $\checkmark$            |
| Sleeping berths  | 4                        | 4                       |
| Dining seats   | 5                        | 5                       |
| WEIGHT (KG)  |                          |                         |
| Max technically permissible laden mass                     | 3500                     | 3500                    |
| Kerb weight (+/- 5%)                                       | 2806                     | 2911                    |
| Towable weight   | 2000                     | 2000                    |
| AUTONOMY   |                          |                         |
| Fresh water capacity (L)                                   | 100                      | 95                      |
| Waste water capacity (L)                                   | 100                      | 100                     |
| Fuel tank capacity (L)                                     | 90                       | 90                      |
| Gas cylinder capacity (kg)                                 | 13                       | 13                      |
| Pre-equipment for battery (battery supplied by the dealer) | ✓                        | ✓                       |
| HEATING / AIR CONDITIONING                                 |                          |                         |
| Vehicle fuel heating with supply air circuit               | 4000 W                   | 4000 W                  |
| 10 L water heater (gas) with electronic ignition           | $\checkmark$             | ✓                       |
| Pre-equipped for living area air conditioning              | ✓                        | ✓                       |
| SLEEPING SPACE (CM)  |                          |                         |
| Electric fold-down bed, sleeps 2 (max. 250 kg)             | 140 x 190                | 140 x 190               |
| Dining nook convertible into extra spare sleeping space    | 140 x 190                | 140 x 190               |
| KITCHEN  |                          |                         |
| Gas refrigerator (12V/230V)                                | 134L AES                 | X                       |
| Compressor refrigerator (12V/230V)                         | X                        | 150L                    |
|  |                          |                         |

(1) Subject to homologation.




















All the technical data are available at www.challenger-motorhomes.com







Virtual viewing 360°



Download your catalogue



Technica info



Vehicle comparison tool



Choice of vehicle according to your profile



|  | 24   | 40               | 2                | 50               | 20               | 60               | 2                | 70               | 32               | 28               |
|--|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|  | BREAK<br>EDITION   | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION |
| BASE VEHICLE   | The state of the s | vrd              | (Fi              | ord              | (H               | ord              | (H               | rd               | (H               | rd               |
| Engine power HP-kW   | 130 - 96   | 165 - 121        | 130 - 96         | 165 - 121        | 130 - 96         | 165 - 121        | 130 - 96         | 165 - 121        | 130 - 96         | 165 - 121        |
| Transmission   | Manual   | Automatic        | Manual           | Automatic        | Manual           | Automatic        | Manual           | Automatic        | Manual           | Automatic        |
| EXTERIOR DIMENSIONS  |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Overall length (m)   | 6.   | 99               | 6.               | 39               | 6.               | .99              | 6.               | 99               | 7.1              | 19               |
| Overall width (m)  | 2.   | 35               | 2.               | 35               | 2                | .35              | 2.               | 35               | 2.3              | 35               |
| Overall height (m)   | 2.   | 92               | 2.               | 92               | 2.               | .92              | 2.               | 92               | 2.9              | 92               |
| Interior height (m)  | 2  | 11               | 2.               | .11              | 2                | .11              | 2                | .11              | 2.               | 11               |
| Wheelbase (m)  | 3.   | 95               | 3,               | 75               | 3.               | .95              | 3.               | 95               | 3.9              | 95               |
| Right garage door (cm)                                     | 1045   | x 620            | 1045             | x 620            | 1145             | x 620            | 1145             | x 620            | 1145             | x 765            |
| Left garage door (cm)                                      | 620 >  | 1795             | 1845             | x 605            | 1845             | x 605            | 1845             | x 605            | 545 x            | < 320            |
| Rear garage door (cm)                                      | )  | <                | >                | <                | ,                | X                | ,                | <                | 605 x            | 1145             |
| 16" steel wheels with trims                                | $\checkmark$   | X                | $\checkmark$     | X                | $\checkmark$     | X                | $\checkmark$     | X                | $\checkmark$     | X                |
| 16" alloy wheels   | X  | <b>✓</b>         | X                | <b>✓</b>         | X                | <b>✓</b>         | X                | <b>✓</b>         | X                | <b>✓</b>         |
| CAPACITY (Standard base vehicle)                           |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Seats authorised for road use (1)                          |  | 4                |                  | 4                |                  | 4                |                  | 4                |                  | <b>'</b>         |
| Isofix mounts  | )  | <                | _                | /                |                  | /                | \                | /                | ~                | /                |
| Sleeping berths  |  | 4                |                  | 4                |                  | 4                |                  | 4                | 3/               | 5*               |
| Dining seats   |  | 5                | ļ                | 5                |                  | 5                |                  | 5                | 5                | 5                |
| WEIGHT (KG)  |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Max technically permissible laden mass                     | 35   | 00               | 35               | 600              | 35               | 500              | 35               | 00               | 350              | 00               |
| Kerb weight (+/- 5%)                                       | 2984   | 3117             | 2908             | 3028             | 2970             | 3092             | 3006             | 3126             | 3063             | 3163             |
| Towable weight   | 20   | 00               | 20               | 100              | 20               | 000              | 20               | 00               | 20               | 00               |
| AUTONOMY   |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Fresh water capacity (L)                                   | 10   | )5               | 9                | 95               | 1                | 05               | 1                | 05               | 10               | )5               |
| Waste water capacity (L)                                   | 10   | 00               | 10               | 00               | 1                | 00               | 1                | 00               | 10               | 00               |
| Fuel tank capacity (L)                                     | 7  | 0                | 7                | 0                | 7                | 70               | 7                | 0                | 7(               | 0                |
| Gas cylinder capacity (kg)                                 | 1  | 3                | 1                | 3                |                  | 13               | 1                | 3                | 1:               | 3                |
| Pre-equipment for battery (battery supplied by the dealer) | \  | /                | \                | /                | \                | /                | \                | /                | ~                | /                |
| HEATING / AIR CONDITIONING                                 |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Vehicle fuel heating with supply air circuit               | 400  | 0 W              | 400              | 00 W             | 400              | 00 W             | 400              | 0 W              | 400              | 0 W              |
| 10 L water heater (gas) with electronic ignition           | \  |                  | \                | /                | `                | /                | \                | /                | ~                |                  |
| Pre-equipped for living area air conditioning              | \  | /                | \                | /                | \                | /                | \                | /                | ~                | /                |
| SLEEPING SPACE (CM)  |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| Rear bed(s)  | ,  | <                | )                | <                | ,                | ×                | ,                | <                | 160 x            | k 190            |
| Twin beds  | )  | <                | >                | <                | ,                | ×                | ,                | <                | >                | <                |
| Electric fold-down bed, sleeps 1 (max. 150 kg)             | )  | <                | >                | <                | ,                | X                | 90 x 200         | + 90 x 190       | >                | <                |
| Electric fold-down bed, sleeps 2 (max. 250 kg)             | <b>√</b> 16  | 0 x 190          | <b>√</b> 14      | 0 x 190          | <b>√</b> 16      | 0 x 190          | ,                | <                | O 140            | x 190            |
| Lower bed  |  | <                |                  | <                |                  | X                | ,                | <                | >                | <                |
| Dining nook convertible into extra spare sleeping space    |  |                  |                  |                  |                  |                  |                  |                  |                  |                  |
| billing flook convertible into extra spare steeping space  |  | k 195            | 115              | x 195            | 130              | x 195            | 130              | x 195            | 90 x             | : 195            |
| KITCHEN  |  | k 195            | 115 :            | x 195            | 130              | x 195            | 130              | x 195            | 90 x             | 195              |
|  | 125  | < 195<br><       |                  | x 195<br>L AES   |                  | x 195<br>L AES   |                  | x 195<br>_ AES   | 90 x<br>141 L    |                  |

\*With optional fold-down bed (1) Subject to homologation.





| 3:               | 37               | 3:               | 80               | 3.8  | 84               |
|------------------|------------------|------------------|------------------|--|------------------|
| BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION   | ETAPE<br>EDITION |
| Fi               | rd               | Fi               | rd               | The state of the s | nd               |
| 130 - 96         | 165 - 121        | 130 - 96         | 165 - 121        | 130 - 96   | 165 - 121        |
| Manual           | Automatic        | Manual           | Automatic        | Manual   | Automatic        |

|         | 2    | .40  | ODA |    |    |
|---------|------|------|-----|----|----|
| db      | 62 1 | FINE |     |    | 0  |
| a       |      |      |     | 0  | 9  |
|         | •    | , L  | (m) | 9) | 20 |
| ₫\$\d\$ | Ь    | 6,9  | 9 m | ,  | ,  |

2/10 (Ford)



| 7.1          | 19           | 7.       | 19       | 7.2      | 29           |
|--------------|--------------|----------|----------|----------|--------------|
| 2.3          | 35           | 2.       | 35       | 2.35     |              |
| 2.9          | 92           | 2.       | 92       | 2.9      | 92           |
| 2.           | 11           | 2.       | 11       | 2.       | 11           |
| 3.9          | 95           | 3.       | 95       | 3,9      | 95           |
| 1045         | x 765        | 1045     | x 620    | 1045     | x 620        |
| 895 >        | x 590        | 795 >    | k 405    | 895 >    | 590          |
| >            | <            | X        |          | >        | <            |
| $\checkmark$ | X            | ✓ X      |          | <b>✓</b> | X            |
| X            | $\checkmark$ | X        | <b>✓</b> | X        | $\checkmark$ |
|              |              |          |          |          |              |
| L            | 4            | 5        |          | 5        | 4            |
| ~            |              | <b>✓</b> |          | ~        |              |
| 3/           | 5*           | 6        |          | 5        | j            |
| 5            | 5            | !        | 5        | 6        | ò            |
|              |              |          |          |          |              |





| 4            |      | 5            |      |      |              | 5   |     | 4    |
|--------------|------|--------------|------|------|--------------|-----|-----|------|
| $\checkmark$ |      | $\checkmark$ |      |      | $\checkmark$ |     |     |      |
| 3/5*         | 3/5* |              |      | 6    |              |     | 5   |      |
| 5            | 5 5  |              | 5    |      |              | 6   |     |      |
|              |      |              |      |      |              |     |     |      |
| 3500         |      | 3500         |      |      |              | 3.  | 500 |      |
| 3023         | 3137 | 3018         |      | 3078 | 3            | 077 |     | 3162 |
| 2000         |      |              | 2000 |      |              | 2   | 000 |      |





| 105          | 95           | 100          |
|--------------|--------------|--------------|
| 100          | 100          | 100          |
| 70           | 70           | 70           |
| 13           | 13           | 13           |
| $\checkmark$ | $\checkmark$ | $\checkmark$ |
|              |              |              |

4000 W

4000 W

167 L AES

X





| <b>V</b>            | <b>V</b>     | <b>V</b>     |
|---------------------|--------------|--------------|
| $\checkmark$        | $\checkmark$ | $\checkmark$ |
|                     |              |              |
| X                   | X            | 76 x 200 x 2 |
| 90 x 188 + 90 x 199 | X            | X            |
| X                   | ✓ 74 x 190   | X            |
| <b>O</b> 140 x 190  | ✓ 160 x 190  | ✓ 140 x 190  |
| X                   | 81 x 200     | X            |
| 90 x 195            | 130 x 195    | 105 x 195    |
|                     |              |              |

134 L AES

X



All the technical data are available at www.challenger-motorhomes.com



141 L AES X

4000 W





Virtual viewing 360°



Download your catalogue



Technical info



Vehicle comparison tool



Choice of vehicle according to your profile



C194

# **OVERCABS**

### A FAMILY BREAK

C256 C387

|   | 017              | 9199                        | 9001             |
|---|------------------|-----------------------------|------------------|
|   | BREAK<br>EDITION | BREAK<br>EDITION            | BREAK<br>EDITION |
| BASE VEHICLE  | FIAT             | FIAT                        | FIRT             |
| Engine power HP-kW  | 140 - 103        | 140 - 103                   | 140 - 103        |
| Transmission  | Manual           | Manual                      | Manual           |
| EXTERIOR DIMENSIONS   |                  |                             |                  |
| Overall length (m)  | 5,99             | 6,96                        | 7,36             |
| Overall width (m)   | 2,35             | 2,35                        | 2,35             |
| Overall height (m)  | 3,06             | 3,06                        | 3,06             |
| Interior height (m)   | 2,05             | 2,05                        | 2,05             |
| Wheelbase (m)   | 3,45             | 3,80                        | 4,03             |
| Right garage door (cm)  | 1045 x 620       | 1145 x 565                  | 1045 x 765       |
| Left garage door (cm)   | 795 x 405        | 795 x 405                   | 895 x 590        |
| 15" steel wheels with trims                                     | $\checkmark$     | $\checkmark$                | $\checkmark$     |
| CAPACITY (Standard base vehicle)                                |                  |                             |                  |
| Seats authorised for road use (1)                               | 5                | 7                           | 6                |
| Sleeping berths   | 4                | 7                           | 6                |
| Dining seats  | 5                | 7                           | 6                |
| WEIGHT (KG)   |                  |                             |                  |
| Max technically permissible laden mass                          | 3500             | 3500                        | 3500             |
| Kerb weight (+/- 5%)  | 2740             | 2910                        | 2991             |
| Towable weight  | 2000             | 2000                        | 2000             |
| AUTONOMY  |                  |                             |                  |
| Fresh water capacity (L)  | 105              | 105                         | 105              |
| Waste water capacity (L)  | 100              | 100                         | 100              |
| Fuel tank capacity (L)  | 90               | 90                          | 90               |
| Gas cylinder capacity (kg)                                      | 13               | 13                          | 13               |
| Pre-equipment for battery (battery supplied by the dealer)      | $\checkmark$     | $\checkmark$                | $\checkmark$     |
| HEATING / AIR CONDITIONING                                      |                  |                             |                  |
| Combined heater/water heater with supply air using vehicle fuel | X                | X                           | 4000 W           |
| Vehicle fuel heating with supply air circuit                    | 4000 W           | 4000 W                      | X                |
| 10 L water heater (gas) with electronic ignition                | ✓                | ✓                           | X                |
| Pre-equipped for living area air conditioning                   | $\checkmark$     | $\checkmark$                | $\checkmark$     |
| SLEEPING SPACE (CM)   |                  |                             |                  |
| Fixed rear bed  | 208 x 132        | X                           | X                |
| Twin beds   | X                | X                           | (195 x 90) x 2   |
| Overcab sleeping space  | 155 x 203        | 155 x 203                   | 155 x 203        |
| Lower berth   | X                | 211 x 80                    | X                |
| Upper berth   | X                | 211 x 80                    | X                |
| Dining nook convertible into extra spare sleeping space         | X                | 132 x 147/167<br>+ 147 x 60 | 147/167 x 130    |
| KITCHEN   |                  |                             |                  |
| Compressor refrigerator (12V/230V)                              | X                | 150L                        | 150L             |
| Gas refrigerator/12V/230V                                       | 87L              | X                           | X                |







(1) Subject to homologation.

✓ AS STANDARD O OPTIONAL X NOT AVAILABLE



All the technical data are available at

www.challenger-motorhomes.com



Vehicle comparison tool



Choice of vehicle according to your profile







Virtual viewing 360°




Download your catalogue

info





| Engine power HP-kW 140 - 103 140 140 140 140 140 140 140 140 140 140   |  | 2060       | 3048             |  |
|--|--|------------|------------------|--|
| Engine power HP-kW  Transmission  Automatic  EXTERIOR DIMENSIONS  Overall length (m)  Overall width (m)  Overall width (m)  Overall width (m)  Overall height (m)  2,32  2,32  Overall height (m)  2,16  2,16  Wheelbase (m)  4,03  A,03  Right garage door (cm)  1045 x 620  745 x 1045  Left garage door (cm)  1845 x 419  652 x 549  16" alloy wheels  CAPACITY (Standard base vehicle)  Seats authorised for road use (t)  4  4  4  Sofix mounts  V  CAPACITY (Standard base vehicle)  Sleeping berths  4  4  4  Dining seats  5  5  WEIGHT (KG)  Max technically permissible laden mass  3500  3500  Kerb weight (*/-5%)  3095  3120  Towable weight  2000  AUTONOMY  Fresh water capacity (L)  115  Fuel tank capacity (L)  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  **WHEATING / AIR CONDITIONING  Combined wehicle fuel heating/water heater with supply air  6000 W  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max 250 kg)  160 x 190  KITCHEN  KITCHEN   |  |            | ETAPE<br>EDITION |  |
| Automatic   Automatic   Automatic  | BASE VEHICLE   | FIRT       | FIAT             |  |
| EXTERIOR DIMENSIONS  Overall length (m) 6,97 7,47  Overall length (m) 2,32 2,32  Overall height (m) 2,92 2,92  Interior height (m) 2,16 2,16 2,16  Wheelbase (m) 4,03 4,03 4,03  Right garage door (cm) 1045 x 620 745 x 1045  Left garage door (cm) 1845 x 419 652 x 549  16° alloy wheels ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓  | Engine power HP-kW   | 140 - 103  | 140 - 103        |  |
| Overall length (m) Overall width (m) 2,32 2,32 Overall width (m) 2,32 2,32 Overall height (m) 2,92 2,92 Interior height (m) 2,16 2,16 Wheelbase (m) 4,03 4,03 Right garage door (cm) 1045 x 620 745 x 1045 Left garage door (cm) 1845 x 419 652 x 549 16" alloy wheels  CAPACITY (Standard base vehicle) Seats authorised for road use (1) 4 4 4 Isofix mounts  √ ✓  CAPACITY (Standard base vehicle) Seats authorised for road use (1) 4 4 4 Dinning seats 5 5 5 WEIGHT (KG)  Max technically permissible laden mass 3500 3500 AUTONOMY  Fresh water capacity (L) 115 115 Fuel tank capacity (L) 90 90 Gas cylinder capacity (kg) 13 13 13 Pre-equipment for battery (battery supplied by the dealer)  ✓  HEATING / AIR CONDITIONING Combined vehicle fuel heating/water heater with supply air 6000 W  SLEEPING SPACE (CM)  Fixed rear bed  ✓  KITCHEN  KITCHEN  KITCHEN   | Transmission   | Automatic  | Automatic        |  |
| Overall width (m)         2,32         2,32           Overall height (m)         2,92         2,92           Interior height (m)         2,16         2,16           Wheelbase (m)         4,03         4,03           Right garage door (cm)         1045 x 620         745 x 1045           Left garage door (cm)         1845 x 419         652 x 549           16" alloy wheels         ✓         ✓           CAPACITY (Standard base vehicle)           Seats authorised for road use (1)         4         4           Isofix mounts         ✓         ✓           Sleeping berths         4         4           Dining seats         5         5           WEIGHT (KG)         3500         3500           Max technically permissible laden mass         3500         3500           Kerb weight (*/- 5%)         3095         3120           Towable weight         2000         2000           AUTONOMY           Fresh water capacity (L)         120         120           Waste water capacity (kg)         13         13           Fuel tank capacity (kg)         13         13           Free, equipment for battery (battery supplied by the dealer) <td< td=""><td>EXTERIOR DIMENSIONS</td><td></td><td></td></td<>  | EXTERIOR DIMENSIONS  |            |                  |  |
| Overall height (m)         2.92         2.92           Interior height (m)         2,16         2,16           Wheelbase (m)         4.03         4.03           Right garage door (cm)         1045 x 620         745 x 1045           Left garage door (cm)         1845 x 419         652 x 549           16" alloy wheels         ✓         ✓           CAPACITY (Standard base vehicle)           Seats authorised for road use (1)         4         4           Isofix mounts         ✓         ✓           Sleeping berths         4         4           Dining seats         5         5           WEIGHT (KG)         3095         3120           Towable weight (*/-5%)         3095         3120           Towable weight         2000         2000           AUTONOMY           Fresh water capacity (L)         120         120           Waste water capacity (kg)         13         13           Free quipiment for battery (battery supplied by the dealer)         ✓         ✓           HEATING / AIR CONDITIONING         ✓         ✓           Combined vehicle full heating/water heater with supply air         6000 W         6000 W           SL   | Overall length (m)   | 6,97       | 7,47             |  |
| Interior height (m)  2,16 2,16 2,16 Wheelbase (m) 4,03 4,03 4,03 Right garage door (cm) 1045 x 620 745 x 1045 Left garage door (cm) 1845 x 419 652 x 549 16" alloy wheels  CAPACITY (Standard base vehicle)  Seats authorised for road use (1) 4 4 4 Isofix mounts  ✓  Sleeping berths 4 4 4 Dining seats 5 5 5  WEIGHT (KG)  Max technically permissible laden mass 3500 3500 Kerb weight (+/-5%) 3095 3120 Towable weight 2000 2000  AUTONOMY  Fresh water capacity (L) 115 115 Fuel tank capacity (L) 90 90 Gas cylinder capacity (kg) 13 13 Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W  SLEEPING SPACE (CM) Fixed rear bed  ★ 160 x 190/200 Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190  KKITCHEN  KITCHEN   | Overall width (m)  | 2,32       | 2,32             |  |
| Wheelbase (m)         4,03         4,03           Right garage door (cm)         1045 x 620         745 x 1045           Left garage door (cm)         1845 x 419         652 x 549           16" alloy wheels         ✓         ✓           CAPACITY (Standard base vehicle)           Seats authorised for road use (1)         4         4           Isofix mounts         ✓         ✓           Sleeping berths         4         4           Dining seats         5         5           WEIGHT (KG)         S         3500           Max technically permissible laden mass         3500         3500           Kerb weight (*/-5%)         3095         3120           Towable weight         2000         2000           Autronomy           Fresh water capacity (L)         120         120           Waste water capacity (L)         90         90           Gas cylinder capacity (kg)         13         13           Pre-equipment for battery (battery supplied by the dealer)         ✓         ✓           HEATING / AIR CONDITIONING         Conditional conditions are supplied by the dealer of the condition of the condi  | Overall height (m)   | 2.92       | 2.92             |  |
| Right garage door (cm) 1045 x 620 745 x 1045  Left garage door (cm) 1845 x 419 652 x 549  16" alloy wheels ✓ ✓  CAPACITY (Standard base vehicle)  Seats authorised for road use (1) 4 4  Isofix mounts ✓ ✓  Sleeping berths 4 4 4  Dining seats 5 5 5  WEIGHT (KG)  Max technically permissible laden mass 3500 3500  Kerb weight (+/- 5%) 3095 3120  Towable weight 2000 2000  AUTONOMY  Fresh water capacity (L) 120 120  Waste water capacity (L) 115 115  Fuel tank capacity (L) 115 115  Fuel tank capacity (L) 90 90  Gas cylinder capacity (kg) 13 13  Pre-equipment for battery (battery supplied by the dealer) ✓  WHATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W  SLEEPING SPACE (CM)  Fixed rear bed X 160 x 190 X  Cab sleeping space X  O 140 x 190  Dinning nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN   | Interior height (m)  | 2,16       | 2,16             |  |
| Left garage door (cm) 1845 x 419 652 x 549  16" alloy wheels   CAPACITY (Standard base vehicle)  Seats authorised for road use (1) 4 4  4 4 4  Isofix mounts  Sleeping berths 4 4 4  Dining seats 5 5 5  WEIGHT (KG)  Max technically permissible laden mass 3500 3500  Kerb weight (+/- 5%) 3095 3120  Towable weight 2000 2000  AUTONOMY  Fresh water capacity (L) 120 120  Waste water capacity (L) 115 115  Fuel tank capacity (L) 90 90  Gas cylinder capacity (kg) 13 13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W 6000 W  SLEEPING SPACE (CM)  Fixed rear bed   KITCHEN  KITCHEN   | Wheelbase (m)  | 4.03       | 4.03             |  |
| To alloy wheels  CAPACITY (Standard base vehicle)  Seats authorised for road use (1)  Seats authorised for soon of the seats authorised for soon of soon of the seats authorised for soon of | Right garage door (cm)                                     | 1045 x 620 | 745 x 1045       |  |
| CAPACITY (Standard base vehicle)  Seats authorised for road use (1)  4  4  4  Isofix mounts   Sleeping berths  4  4  4  Dining seats  5  5  WEIGHT (KG)  Max technically permissible laden mass  3500  3500  Kerb weight (+/-5%)  3095  3120  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  120  120  Waste water capacity (L)  90  90  Gas cylinder capacity (L)  90  90  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  160 x 190  XITCHEN  KITCHEN  | Left garage door (cm)                                      | 1845 x 419 | 652 x 549        |  |
| Seats authorised for road use (1)  Isofix mounts  Sleeping berths  4  4  4  Dining seats  5  5  WEIGHT (KG)  Max technically permissible laden mass  3500  Soon  Kerb weight (+/- 5%)  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  120  120  Waste water capacity (L)  115  115  Fuel tank capacity (L)  90  90  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  160 x 190  XITCHEN  KITCHEN  | 16" alloy wheels   | <b>✓</b>   | $\checkmark$     |  |
| Isofix mounts  Sleeping berths  4  4  Dining seats  5  S  WEIGHT (KG)  Max technically permissible laden mass  3500  Seeping berths  Max technically permissible laden mass  3500  Seeping berth (*/- 5%)  3095  3120  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  120  120  Waste water capacity (L)  115  115  Fuel tank capacity (L)  90  90  90  Gas cylinder capacity (kg)  13  13  13  Pre-equipment for battery (battery supplied by the dealer)  ✓  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  160 x 190  X  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  KITCHEN  | CAPACITY (Standard base vehicle)                           |            |                  |  |
| Sleeping berths  4 4  Dining seats  5 5  WEIGHT (KG)  Max technically permissible laden mass  3500 3500  Kerb weight (+/- 5%)  Towable weight 2000 2000  AUTONOMY  Fresh water capacity (L)  Fresh water capacity (L)  120 120  Waste water capacity (L)  90 90  Gas cylinder capacity (kg)  13 13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W  SLEEPING SPACE (CM)  Fixed rear bed  X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  130 x 195  KITCHEN  | Seats authorised for road use (1)                          | 4          | 4                |  |
| Dining seats  WEIGHT (KG)  Max technically permissible laden mass  3500  Kerb weight (+/- 5%)  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  Waste water capacity (L)  120  120  Waste water capacity (L)  90  90  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined wehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  ★ 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  130 x 195  KITCHEN  | Isofix mounts  | <b>✓</b>   | ✓                |  |
| WEIGHT (KG)  Max technically permissible laden mass  3500  3500  Kerb weight (+/- 5%)  3095  3120  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  120  120  Waste water capacity (L)  115  Fuel tank capacity (L)  90  90  90  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  ✓ ✓ ✓  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  130 x 195  KITCHEN  | Sleeping berths  | 4          | 4                |  |
| Max technically permissible laden mass  3500  3500  Kerb weight (+/- 5%)  3095  3120  Towable weight  2000  2000  AUTONOMY  Fresh water capacity (L)  120  120  Waste water capacity (L)  115  115  Fuel tank capacity (L)  90  90  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  ✓ ✓ ✓  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  6000 W  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  160 x 190  X  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  130 x 195  KITCHEN  | Dining seats   | 5          | 5                |  |
| Kerb weight (+/- 5%)  Towable weight  2000  AUTONOMY  Fresh water capacity (L)  Waste water capacity (L)  Fuel tank capacity (L)  Gas cylinder capacity (kg)  Towable weight  120  120  Waste water capacity (L)  Fuel tank capacity (L)  Fuel tank capacity (kg)  Towable weight  Towable wei | WEIGHT (KG)  |            |                  |  |
| Towable weight 2000 2000  AUTONOMY  Fresh water capacity (L) 120 120  Waste water capacity (L) 115 115  Fuel tank capacity (L) 90 90  Gas cylinder capacity (kg) 13 13  Pre-equipment for battery (battery supplied by the dealer) ✓ ✓ ✓  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W 6000 W  SLEEPING SPACE (CM)  Fixed rear bed X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190 X  Cab sleeping space X O 140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN  | Max technically permissible laden mass                     | 3500       | 3500             |  |
| AUTONOMY  Fresh water capacity (L)  Waste water capacity (L)  Waste water capacity (L)  Fuel tank capacity (L)  Gas cylinder capacity (kg)  Freequipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  130 x 195  KITCHEN   | Kerb weight (+/- 5%)                                       | 3095       | 3120             |  |
| Fresh water capacity (L)  Waste water capacity (L)  Fuel tank capacity (L)  Gas cylinder capacity (kg)  Pre-equipment for battery (battery supplied by the dealer)  FEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  Fixed rear bed  Electric fold-down bed, sleeps 2 (max. 250 kg)  Cab sleeping space  Dining nook convertible into extra spare sleeping space  KITCHEN   | Towable weight   | 2000       | 2000             |  |
| Waste water capacity (L)  Fuel tank capacity (L)  Gas cylinder capacity (kg)  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  130 x 195  KITCHEN   | AUTONOMY   |            |                  |  |
| Fuel tank capacity (L)  Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  WHEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  KITCHEN   | Fresh water capacity (L)                                   | 120        | 120              |  |
| Gas cylinder capacity (kg)  13  13  Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air  6000 W  SLEEPING SPACE (CM)  Fixed rear bed  X  160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg)  160 x 190  X  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  130 x 195  KITCHEN   | Waste water capacity (L)                                   | 115        | 115              |  |
| Pre-equipment for battery (battery supplied by the dealer)  HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W  SLEEPING SPACE (CM)  Fixed rear bed  X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190  Cab sleeping space  X 0140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195  KITCHEN  | Fuel tank capacity (L)                                     | 90         | 90               |  |
| HEATING / AIR CONDITIONING  Combined vehicle fuel heating/water heater with supply air 6000 W 6000 W  SLEEPING SPACE (CM)  Fixed rear bed X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190 X  Cab sleeping space X O 140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN  | Gas cylinder capacity (kg)                                 | 13         | 13               |  |
| Combined vehicle fuel heating/water heater with supply air  SLEEPING SPACE (CM)  Fixed rear bed  X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190  Cab sleeping space  X 0140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195  KITCHEN   | Pre-equipment for battery (battery supplied by the dealer) | <b>✓</b>   | $\checkmark$     |  |
| Fixed rear bed X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190  Cab sleeping space X O 140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195  KITCHEN   | HEATING / AIR CONDITIONING                                 |            |                  |  |
| Fixed rear bed X 160 x 190/200  Electric fold-down bed, sleeps 2 (max. 250 kg) 160 x 190 X  Cab sleeping space X O 140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN   | Combined vehicle fuel heating/water heater with supply air | 6000 W     | 6000 W           |  |
| Electric fold-down bed, sleeps 2 (max. 250 kg)  Cab sleeping space  X  O 140 x 190  Dining nook convertible into extra spare sleeping space  I 30 x 195  KITCHEN   | SLEEPING SPACE (CM)  |            |                  |  |
| Cab sleeping space X O 140 x 190  Dining nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN   | Fixed rear bed   | X          | 160 x 190/200    |  |
| Dining nook convertible into extra spare sleeping space 130 x 195 100 x 195  KITCHEN   | Electric fold-down bed, sleeps 2 (max. 250 kg)             | 160 x 190  | X                |  |
| KITCHEN  | Cab sleeping space   | X          | O 140 x 190      |  |
|  | Dining nook convertible into extra spare sleeping space    | 130 x 195  | 100 x 195        |  |
| Gas refrigerator/12V/230V 175 L AES 175 L AES  | KITCHEN  |            |                  |  |
|  | Gas refrigerator/12V/230V                                  | 175 L AES  | 175 L AES        |  |





(1) Subject to homologation.

 $\checkmark$  AS STANDARD O OPTIONAL X NOT AVAILABLE



All the technical data

are available at www.challenger-motorhomes.com



Vehicle comparison tool



Choice of vehicle according to your profile



Videos of our vehicles



Virtual viewing



Download your catalogue



# // PACKS AND OPTIONS

| Connect pack             | 4 kg   | Reversing camera, multimedia system, steering wheel controls and DAB radio antenna   |
|--------------------------|--------|--|
| X accessories pack       | 55 kg  | Exterior awning, solar panel, flyscreen door, cab interior blind and 2 <sup>nd</sup> battery fitting kit   |
| P accessories pack       | 55 kg  | Exterior awning, solar panel, flyscreen door, cab interior blind, extra twin bed sleeping* space and 2nd battery fitting kit (may lead to loss of one seat for road use)   |
| S Accessories pack       | 55 kg  | Exterior awning, solar panel, flyscreen door, cab interior blind, dining nook additional sleeping space and 2nd battery fitting kit (+ additional twin bed sleeping space for the S217)  |
| F&S Van Accessories pack | 59 kg  | Exterior awning, solar panel and cab interior blind  |
| Van Accessories pack     | 79 kg  | Exterior awning, solar panel, entrance door exterior lighting, flyscreen door, cab interior blind, dining nook additional sleeping space   |
| Arctic pack              | 33 kg  | Insulated and heated waste water tank, refrigerator grille cover, exterior insulated curtains, reinforced heating, electric boiler, underfloor heating   |
| Van Arctic pack (BREAK)  | 11 kg  | Insulated external heating and water circuits, 6000W vehicle fuel combined heating / water heater with supply air circuit, dashboard insulating cover, thermal insulation curtains for windows, dining nook blind, heated and insulated waste water tank and pop-up roof insulating cover (if the pop-up roof option has been ordered) |
| Van Arctic pack (SPORT)  | 11 kg  | Insulated external water and heating circuits, 5500W vehicle fuel heating with supply air circuit, dashboard insulating cover, thermal insulation curtains for windows, dining nook blind, heated and insulated waste water tank and pop-up roof insulating cover (If the pop-up roof option has been ordered)                         |
| Fiat safety pack         | 1 kg   | Automatic braking system with pedestrian detection, automatic lights and wipers activation, lane crossing warning, sign recognition, driver sleep detection and smart speed assistance   |
| Ford Safety pack         | 1 kg   | Collision warning, tyre pressure sensor, lane-crossing monitoring, rain and brightness detector  |
| Drive pack               | 1 kg   | Keyless entry and drive, electric parking brake, Full LED headlights   |
| A-Class Drive pack       | 1 kg   | Keyless entry, electric parking brake  |
| Look pack                | 1 kg   | Leather steering wheel, chromium-plated air vents, alloy wheels 16"  |
| Smart pack               | 1 kg   | Clean water level sensor, gas level sensor, battery level monitoring module, vehicle GPS tracker and vehicle levelling assistance system. Smart-phone connection via Bluetooth and Internet (under subscription)   |
| Options                  | 60 kg  | Fiat 3T5 chassis >>> 4T250 heavy 180 HP mandatory  |
| Options                  | 20 kg  | Superior 180 HP engine (Automatic gearbox required)  |
| Options                  | 1 kg   | Ford 3T5 chassis >>> 4T1   |
| Options                  | 40 kg  | Fiat 3T5 Light chassis >>> 3T5 Heavy   |
| Options                  | 55 kg  | 8-speed automatic gearbox  |
| Options                  | 70 kg  | Tow hitch - factory-fitted (may lead to loss of one seat for road use)   |
| Options                  | 45 kg  | Fold-down bed  |
| Options                  | 3 kg   | Isofix mounts  |
| Options                  | 8 kg   | 138-litre fridge   |
| Options                  | 125 kg | White pop-up roof (Except for Heavy)   |
| Options                  | 125 kg | Black pop-up roof (Except for Heavy)   |
| Options                  | 1 kg   | Cannes interior  |
|                          |        |  |

✓ AS STANDARD O OPTIONAL - NOT AVAILABLE

|                  |                  |                |                  | 13               |                 |                  | <u> </u>         |                  |                  |
|------------------|------------------|----------------|------------------|------------------|-----------------|------------------|------------------|------------------|------------------|
| BREAK<br>EDITION | SPORT<br>EDITION | F&S<br>EDITION | BREAK<br>EDITION | SPORT<br>EDITION | OPEN<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION | BREAK<br>EDITION | ETAPE<br>EDITION |
| 0                | 0                | 0              | <b>✓</b>         | <b>✓</b>         | 0               | <b>✓</b>         | <b>✓</b>         | 0                | 0                |
| -                | -                | -              | -                | -                | 0               | -                | -                | -                | -                |
| -                | -                | -              | -                | -                | -               | 0                | <b>✓</b>         | 0                | <b>✓</b>         |
| -                | -                | -              | 0                | <b>✓</b>         | -               | -                | -                | -                | -                |
| -                | -                | O(1)           | -                | -                | -               | -                | -                | -                | -                |
| 0                | <b>✓</b>         | -              | -                | -                | -               | -                | -                | -                | -                |
| -                | -                | -              | 0                | 0                | 0               | 0                | 0                | 0                | 0                |
| 0                | -                | -              | -                | -                | -               | -                | -                | -                | -                |
| -                | 0                | 0              | -                | -                | -               | -                | -                | -                | -                |
| -                | 0                | 0              | -                | -                | 0               | -                | -                | -                | -                |
| -                | -                | -              | <b>✓</b>         | <b>✓</b>         | -               | <b>✓</b>         | ✓                | -                | -                |
| -                | 0                | 0              | -                | -                | 0               | -                | -                | -                | -                |
| -                | -                | -              | -                | -                | -               | -                | -                | -                | 0                |
| 0                | <b>✓</b>         | <b>✓</b>       | -                | -                | <b>✓</b>        | -                | -                | 0                | <b>✓</b>         |
| -                | -                | -              | 0                | 0                | 0               | 0                | 0                | 0                | 0                |
| -                | -                | -              | -                | -                | -               | -                | -                | -                | 0                |
| -                | 0                | 0              | -                | -                | 0               | -                | -                | -                | 0                |
| -                | -                | -              | -                | -                | -               | -                | 0                | -                | -                |
| 0                | 0                | 0              | -                | -                | -               | -                | -                | -                | -                |
| 0                | 0                | O(2)           | 0                | <b>✓</b>         | 0               | 0                | <b>✓</b>         | 0                | ✓                |
| -                | -                | -              | 0                | 0                | 0               | 0                | 0                | 0                | 0                |
| -                | -                | -              | -                | -                | <b>✓</b>        | √/O*             | √/O*             | -                | √/O*             |
| -                | O*               | <b>✓</b>       | -                | -                | <b>✓</b>        | √/-*             | <b>√</b> /-*     | -                | <b>✓</b>         |
| -                | O*               | -              | -                | -                | -               | -                | -                | -                | -                |
| 0                | -                | -              | -                | -                | -               | -                | -                | -                | -                |
| -                | 0                | <b>✓</b>       | -                | -                | -               | -                | -                | -                | -                |
| -                | -                | -              | -                | 0                | 0               | -                | 0                | -                | 0                |

<sup>\*</sup> According to model (1)Incompatible with the 8-speed automatic gearbox option (2)Incompatible with the Accessory pack option



# TAKE A BREAK!



### **TRIGANO VDL**

1, avenue de Rochebonne CS 69003 07302 Tournon-sur-Rhône Cedex France

contact@challenger.tm.fr

All technical specifications (texts and photos) valid at the time of printing (August 2024) are provided by Challenger for general guidance. They may be subject to modification, often because of technical progress. Where there are multilingual versions, the French text is the binding version.

Non-contractual document.

Photos: Alain Reynaud, Sébastien Sassoulas, Ronan Kerloch.



Since Challenger is committed to the environment, this publication has been printed on PEFC paper from sustainably managed forests.

